

Sequence Listing

<110> SciI Proteins GmbH  
Fiedler, Ulrike  
Rudolph, Rainer

<120> DESIGN OF BETA-SHEET PROTEINS WITH SPECIFIC BINDING PROPERTIES

<130> P12389 / 1406-37

<140> US 10/030,605

<141> 2002-01-09

<150> PCT/EP00/06698

<151> 2000-07-13

<160> 25

<170> PatentIn version 3.0

<210> 1

<211> 45

<212> DNA

<213> Artificial

<220>

<223> GCLIE1B primer designed according to mutant bovine gamma-II crystalline DNA sequence. See Figure 1.

<220>

<221> misc\_feature

<222> (1)..(45)

<223> GCLIE1B primer designed according to mutant bovine gamma-II crystalline DNA sequence. See Figure 1.

<400> 1

cgcgcgcgctc tcacaaagat acatgccatg actcgcgggc cagcc

45

<210> 2

<211> 50

<212> DNA

<213> Artificial

<220>

<223> GCLIE10 primer designed according to mutant bovine gamma-II crystalline sequence. See Figure 1.

<220>

<221> misc\_feature

<222> (1)..(50)

<223> GCLIE10 primer designed according to mutant bovine gamma-II crystalline DNA sequence. See Figure 1.

<400> 2

gccgcaggaa gtactggtga ccctggtagt tggggcgctc atacagcatc

50

<210> 3

<211> 41

<212> DNA

<213> Artificial

<220>

<223> GLIA11B primer designed according to mutant bovine gamma-II crystalline DNA sequence. See Figure 1.

<220>

```

<221> misc_feature
<222> (1)..(41)
<223> GCLIA11B primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.
<400> 3
ccatcagccc catcagcgaa ctttgccgca ggaagtactg g
41

<210> 4
<211> 48
<212> DNA
<213> Artificial
<220>
<223> GCFORNOT primer for amplification of bovine gamma-II crystalline DNA
        in plasmid pGII. See Figures 3 and 4.
<220>
<221> misc_feature
<222> (1)..(48)
<223> GCFORNOT primer for amplification of bovine gamma-II crystalline DNA
        in plasmid pGII. See Figures 3 and 4.
<400> 4
gagtcattct gcggccgcat aaaaatccat caccgtctt aaagaacc
48

<210> 5
<211> 59
<212> DNA
<213> Artificial
<220>
<223> GCBACKSfiBst primer for amplification of bovine gamma-II crystalline
        DNA in plasmid pGII. See Figures 3 and 4.
<220>
<221> misc_feature
<222> (1)..(59)
<223> GCBACKSfiBst primer for amplification of bovine gamma-II crystalline
        DNA in plasmid pGII. See Figures 3 and 4.
<400> 5
gcggcccagc cggccgctgc tggatgctgt atgagcgccc caactaccag ggtcaccag
59

<210> 6
<211> 55
<212> DNA
<213> Artificial
<220>
<223> GCBACKSfi primer designed for amplification of bovine gamma-II
        crystalline DNA in plasmid pGII.
<220>
<221> misc_feature
<222> (1)..(55)
<223> GCBACKSfi primer designed for amplification of bovine gamma-II
        crystalline DNA in plasmid pGII.
<400> 6
catgccatga ctcgcggccc agccggccat ggggaagatc actttttacg aggac
55

<210> 7
<211> 26
<212> DNA
<213> Artificial
<220>
<223> pCAR1LAB primer for DNA sequencing.
<220>
<221> misc_feature
<222> (1)..(26)

```

<223> pCAR1LAB primer for DNA sequencing.  
 <400> 7  
 ccatgattac gccaaagcttt ggagcc 26

<210> 8  
 <211> 21  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> GCLISEQ primer for DNA sequencing.  
 <220>  
 <221> misc\_feature  
 <222> (1)..(21)  
 <223> GCLISEQ primer for DNA sequencing.  
 <400> 8  
 ctgaaagtgc cggtgtgttg c 21

<210> 9  
 <211> 176  
 <212> DNA  
 <213> Bos sp.  
 <400> 9  
 ggcccagccg gccatgggga ggatcaagtt taaagaggac cggggcttcc agggccacta 60  
 ttacagttgc aatagcgact gcccacacct gcagccctat ttcagccgct gtaactccat 120  
 caggggtgctg agcggctgct ggatgctgta tgagcgcccc aactaccagg gtcacc 176

<210> 10  
 <211> 176  
 <212> DNA  
 <213> Bos sp.  
 <400> 10  
 ggcccagccg gccatgggga agatcacttt ttacgaggac cggggcttcc agggccactg 60  
 ctacgagtgc agcagcgact gcccacacct gcagccctat ttcagccgct gtaactccat 120  
 ccgcgtggac agcggctgct ggatgctgta tgagcgcccc aactaccagg gccacc 176

<210> 11  
 <211> 55  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> GCLIE2P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <220>  
 <221> misc\_feature  
 <222> (1)..(55)  
 <223> GCLIE2P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <400> 11  
 ccccatggcc ggctgggccc cgagtcattg catgtatctt tgtgagacgc gcgcg 55

<210> 12  
 <211> 36  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> GCLI3P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.

```

<220>
<221> misc_feature
<222> (1)..(36)
<223> GCLI3P primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.

<220>
<221> misc_feature
<222> (1)..(36)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (1)..(36)
<223> k is g or t
<400> 12
ggccatgggg nnkacnnkt ttnnkgagga ccgggg 36

<210> 13
<211> 24
<212> DNA
<213> Artificial
<220>
<223> GCLI4P primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.

<220>
<221> misc_feature
<222> (1)..(24)
<223> GCLIB4P primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.
<400> 13
gtggccctgg aagccccggt cctc 24

<210> 14
<211> 44
<212> DNA
<213> Artificial
<220>
<223> GCLI5P primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.

<220>
<221> misc_feature
<222> (1)..(44)
<223> GCLI5P primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.

<220>
<221> misc_feature
<222> (1)..(44)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (1)..(44)
<223> k is g or t
<400> 14
cttccagggc cacnnktacn nktgcnnkag cgactgcccc aacc 44

<210> 15
<211> 20
<212> DNA
<213> Artificial
<220>
<223> GCLI6P primer designed according to mutant bovine gamma-II
        crystalline DNA sequence. See Figure 1.

```

<220>  
 <221> misc\_feature  
 <222> (1)..(20)  
 <223> GCLI6P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <400> 15  
 tgcagcccta tttcagccgc 20

<210> 16  
 <211> 47  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> GCLI7P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <220>  
 <221> misc\_feature  
 <222> (1)..(47)  
 <223> GCLIB7P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <400> 16  
 gatggagtta cagcggctga aatagggctg caggttgggg cagtcgc 47

<210> 17  
 <211> 45  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> GCLI8P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <220>  
 <221> misc\_feature  
 <222> (1)..(45)  
 <223> GCLI8P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <220>  
 <221> misc\_feature  
 <222> (1)..(45)  
 <223> n is a, c, g, or t  
 <220>  
 <221> misc\_feature  
 <222> (1)..(45)  
 <223> k is g or t  
 <400> 17  
 tgtaactcca tcnnkgtggn kagcggctgc tggatgctgt atgag 45

<210> 18  
 <211> 37  
 <212> DNA  
 <213> Artificial  
 <220>  
 <223> GCLIE9P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <220>  
 <221> misc\_feature  
 <222> (1)..(37)  
 <223> GCLIE9P primer designed according to mutant bovine gamma-II  
 crystalline DNA sequence. See Figure 1.  
 <400> 18  
 cgccccaaact accaggggtca ccagtacttc ctgcggc 37

-6-

<210> 19  
 <211> 198  
 <212> PRT  
 <213> Bos sp.  
 <400> 19

Ala Ala Gln Pro Ala Met Gly Arg Ile Lys Phe Lys Glu Asp Arg Gly  
 1 5 10 15  
 Phe Gln Gly His Tyr Tyr Ser Cys Asn Ser Asp Cys Pro Asn Leu Gln  
 20 25 30  
 Pro Tyr Phe Ser Arg Cys Asn Ser Ile Arg Val Leu Ser Gly Cys Trp  
 35 40 45  
 Met Leu Tyr Glu Arg Pro Asn Tyr Gln Gly His Gln Tyr Phe Leu Arg  
 50 55 60  
 Arg Gly Asp Tyr Pro Asp Tyr Gln Gln Trp Met Gly Phe Asn Asp Ser  
 65 70 75 80  
 Ile Arg Ser Cys Arg Leu Ile Pro Gln His Thr Gly Thr Phe Arg Met  
 85 90 95  
 Arg Ile Tyr Glu Arg Asp Asp Phe Arg Gly Gln Met Ser Glu Ile Thr  
 100 105 110  
 Asp Asp Cys Pro Ser Leu Gln Asp Arg Phe His Leu Thr Glu Val His  
 115 120 125  
 Ser Leu Asn Val Leu Glu Gly Ser Trp Val Leu Tyr Glu Met Pro Ser  
 130 135 140  
 Tyr Arg Gly Arg Gln Tyr Leu Leu Arg Pro Gly Glu Tyr Arg Arg Tyr  
 145 150 155 160  
 Leu Asp Trp Gly Ala Met Asn Ala Lys Val Gly Ser Leu Arg Arg Val  
 165 170 175  
 Met Asp Phe Tyr Ala Ala Ala Gly Ala Pro Val Pro Tyr Pro Asp Pro  
 180 185 190  
 Leu Glu Pro Arg Ala Ala  
 195

<210> 20  
 <211> 198  
 <212> PRT  
 <213> Bos sp.  
 <400> 20

Ala Ala Gln Pro Ala Met Gly Lys Ile Thr Phe Tyr Glu Asp Arg Gly  
 1 5 10 15  
 Phe Gln Gly His Cys Tyr Glu Cys Ser Ser Asp Cys Pro Asn Leu Gln  
 20 25 30  
 Pro Tyr Phe Ser Arg Cys Asn Ser Ile Arg Val Asp Ser Gly Cys Trp  
 35 40 45

Met Leu Tyr Glu Arg Pro Asn Tyr Gln Gly His Gln Tyr Phe Leu Arg  
 50 55 60

Arg Gly Asp Tyr Pro Asp Tyr Gln Gln Trp Met Gly Phe Asn Asp Ser  
 65 70 75 80

Ile Arg Ser Cys Arg Leu Ile Pro Gln His Thr Gly Thr Phe Arg Met  
 85 90 95

Arg Ile Tyr Glu Arg Asp Asp Phe Arg Gly Gln Met Ser Glu Ile Thr  
 100 105 110

Asp Asp Cys Pro Ser Leu Gln Asp Arg Phe His Leu Thr Glu Val His  
 115 120 125

Ser Leu Asn Val Leu Glu Gly Ser Trp Val Leu Tyr Glu Met Pro Ser  
 130 135 140

Tyr Arg Gly Arg Gln Tyr Leu Leu Arg Pro Gly Glu Tyr Arg Arg Tyr  
 145 150 155 160

Leu Asp Trp Gly Ala Met Asn Ala Lys Val Gly Ser Leu Arg Arg Val  
 165 170 175

Met Asp Phe Tyr Ala Ala Ala Gly Ala Pro Val Pro Tyr Pro Asp Pro  
 180 185 190

Leu Glu Pro Arg Ala Ala  
 195

<210> 21  
 <211> 197  
 <212> PRT  
 <213> Bos sp.  
 <400> 21

Met Gly Arg Ile Lys Phe Lys Glu Asp Arg Gly Phe Gln Gly His Tyr  
 1 5 10 15

Tyr Ser Cys Asn Ser Asp Cys Pro Asn Leu Gln Pro Tyr Phe Ser Arg  
 20 25 30

Cys Asn Ser Ile Arg Val Leu Ser Gly Cys Trp Met Leu Tyr Glu Arg  
 35 40 45

Pro Asn Tyr Gln Gly His Gln Tyr Phe Leu Arg Arg Gly Asp Tyr Pro  
 50 55 60

Asp Tyr Gln Gln Trp Met Gly Phe Asn Asp Ser Ile Arg Ser Cys Arg  
 65 70 75 80

Leu Ile Pro Gln His Thr Gly Thr Phe Arg Met Arg Ile Tyr Glu Arg  
 85 90 95

Asp Asp Phe Arg Gly Gln Met Ser Glu Ile Thr Asp Asp Cys Pro Ser  
 100 105 110

Leu Gln Asp Arg Phe His Leu Thr Glu Val His Ser Leu Asn Val Leu  
 115 120 125

-8-

Glu Gly Ser Trp Val Leu Tyr Glu Met Pro Ser Tyr Arg Gly Arg Gln  
 130 135 140

Tyr Leu Leu Arg Pro Gly Glu Tyr Arg Arg Tyr Leu Asp Trp Gly Ala  
 145 150 155 160

Met Asn Ala Lys Val Gly Ser Leu Arg Arg Val Met Asp Phe Tyr Ser  
 165 170 175

Asp Pro Asn Ser Ser Ser Val Asp Lys Leu Ala Ala Ala Leu Glu His  
 180 185 190

His His His His His  
 195

<210> 22  
 <211> 197  
 <212> PRT  
 <213> Bos sp.  
 <400> 22

Met Gly Lys Ile Thr Phe Tyr Glu Asp Arg Gly Phe Gln Gly His Cys  
 1 5 10 15

Tyr Glu Cys Ser Ser Asp Cys Pro Asn Leu Gln Pro Tyr Phe Ser Arg  
 20 25 30

Cys Asn Ser Ile Arg Val Asp Ser Gly Cys Trp Met Leu Tyr Glu Arg  
 35 40 45

Pro Asn Tyr Gln Gly His Gln Tyr Phe Leu Arg Arg Gly Asp Tyr Pro  
 50 55 60

Asp Tyr Gln Gln Trp Met Gly Phe Asn Asp Ser Ile Arg Ser Cys Arg  
 65 70 75 80

Leu Ile Pro Gln His Thr Gly Thr Phe Arg Met Arg Ile Tyr Glu Arg  
 85 90 95

Asp Asp Phe Arg Gly Gln Met Ser Glu Ile Thr Asp Asp Cys Pro Ser  
 100 105 110

Leu Gln Asp Arg Phe His Leu Thr Glu Val His Ser Leu Asn Val Leu  
 115 120 125

Glu Gly Ser Trp Val Leu Tyr Glu Met Pro Ser Tyr Arg Gly Arg Gln  
 130 135 140

Tyr Leu Leu Arg Pro Gly Glu Tyr Arg Arg Tyr Leu Asp Trp Gly Ala  
 145 150 155 160

Met Asn Ala Lys Val Gly Ser Leu Arg Arg Val Met Asp Phe Tyr Ser  
 165 170 175

Asp Pro Asn Ser Ser Ser Val Asp Lys Leu Ala Ala Ala Leu Glu His  
 180 185 190

His His His His His  
 195



```

<210> 23
<211> 33
<212> DNA
<213> Artificial
<220>
<223> GC20bbackWT primer for cloning bovine gamma-II crystalline DNA into
vector pET-205. See Figure 9.
<220>
<221> misc_feature
<222> (1)..(33)
<223> GC20bbackWT primer for cloning bovine gamma-II crystalline DNA into
vector pET-205. See Figure 9.
<400> 23
gggaattcca tatggggaag atcacttttt acg                                     33

<210> 24
<211> 33
<212> DNA
<213> Artificial
<220>
<223> GC20bback12A primer for cloning Mu12A into vector pET-205. See
Figure 9.
<220>
<221> misc_feature
<222> (1)..(33)
<223> GC20bback12A primer for cloning Mu12A into vector pET-205. See
Figure 9.
<400> 24
gggaattcca tatggggagg atcaagttta aag                                     33

<210> 25
<211> 29
<212> DNA
<213> Artificial
<220>
<223> GCfor20 primer for cloning Mu12A and bovine gamma-II crystalline DNA
into vector pET-205. See Figure 9.
<220>
<221> misc_feature
<222> (1)..(29)
<223> GCfor20 primer for cloning Mu12A and bovine gamma-II crystalline DNA
into vector pET-205. See Figure 9.
<400> 25
cgcggatccg aataaaaaatc catcacccg                                     29

```